

AMENDMENTS TO THE CLAIMS:

This listing of claims replaces all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

---

1. (Currently Amended) A method of providing access to a resource on a network, comprising:

installing instructions on the network, the instructions defining a fixed level of access to the resource, the instructions comprising instructions to queue data packets having a predetermined priority for later transmission if an amount of data packets exceeds the level of the resource that is available; and

modifying the instructions to change the level of access to the resource.

2. (Original) The method of claim 1, wherein the instructions comprise a filter and are installed on a device on the network, the filter being defined by matching criteria to identify a network address and an action that is performed with respect to the network address.

3. (Original) The method of claim 1, wherein the instructions define the level of access to the resource based on an address of a node on the network.

4. (Original) The method of claim 3, wherein modifying the instructions comprises changing the address upon which the instructions base the level of access to the resource.

5. (Original) The method of claim 4, wherein modifying the instructions comprises substituting a range of addresses for the address upon which the instructions base the level of access to the resource.

6. (Original) The method of claim 5, further comprising installing a negative filter within the range of addresses in order to block an address within the range from accessing the resource.

7. (Original) The method of claim 1, wherein the instructions are installed in a device on the network, and the resource comprises bandwidth available from the device.

8. (Original) The method of claim 7, wherein modifying the instructions comprises:

changing the amount of bandwidth available on the device to one or more network nodes.

Cont  
A'

9. (Original) The method of claim 1, wherein the instructions define the level of access to the resource based on a priority level of data packets being transmitted through the network.

10. (Original) The method of claim 1, wherein modifying the instructions comprises:

changing the amount of data packets having a particular priority level that can be transmitted through the network.

11. (Original) The method of claim 9, wherein the priority level of the data packets is defined by instructions in headers of the data packets.

12. (Original) The method of claim 2, wherein there are a limited number of filters that can be installed on the network and the filter is modified to increase a number of users with access through the filter.

13. (Currently Amended) The method of claim 2, further comprising installing a negative filter on the device in order to block data from ~~identify~~ an address that is transmitting data.

14. (Currently Amended) A computer program stored on a computer-readable medium for providing access to a resource on a network, the computer program comprising executable code that causes a computer to:

install instructions on the network, the instructions defining a fixed level of access to the resource, the instructions comprising instructions to queue data packets having a predetermined priority for later transmission if an amount of data packets exceeds the level of the resource that is available; and

modify the instructions to change the level of access to the resource.

Cont  
A'  
15. (Original) The computer program of claim 14, wherein the instructions comprise a filter and are installed on a device on the network, the filter being defined by matching criteria to identify a network address and an action that is performed with respect to the network address.

16. (Original) The computer program of claim 14, wherein the instructions define the level of access to the resource based on an address of a node on the network.

17. (Original) The computer program of claim 16, wherein modifying the instructions comprises changing the address upon which the instructions base the level of access to the resource.

18. (Original) The computer program of claim 17, wherein modifying the instructions comprises substituting a range of addresses for the address upon which the instructions base the level of access to the resource.

19. (Original) The computer program of claim 17, further comprising computer code to install a negative filter within the range of addresses in order to block an address within the range from accessing the resource.

20. (Original) The computer program of claim 14, wherein the instructions are installed in a device on the network, and the resource comprises bandwidth available from the device.

21. (Original) The computer program of claim 20, wherein modifying the instructions comprises:

changing the amount of bandwidth available on the device to one or more network nodes.

22. (Original) The computer program of claim 14, wherein the instructions define the level of access to the resource based on a priority level of data packets being transmitted through the network.

23. (Original) The computer program of claim 14, wherein modifying the instructions comprises:

changing the amount of data packets having a particular priority level that can be transmitted through the network.

24. (Original) The computer program of claim 22, wherein the priority level of the data packets is defined by instructions in headers of the data packets.

25. (Original) The computer program of claim 15, wherein there are a limited number of filters that can be installed on the network and the filter is modified to increase a number of users with access through the filter.

26. (Currently Amended) The computer program of claim 15, further comprising computer code to install a negative filter on the device in order to block data from ~~identify~~ an address that is transmitting data.

27. (Currently Amended) An apparatus for providing access to a resource on a network, comprising:

a memory which stores executable code; and

a processor which executes the code to:

install instructions on the network, the instructions defining a fixed level of access to the resource, the instructions comprising instructions to queue data

packets having a predetermined priority for later transmission if an amount of data

packets exceeds the level of the resource that is available; and

modify the instructions to change the level of access to the resource.

28. (Original) The apparatus of claim 27, wherein the instructions comprise a filter and are installed on a device on the network, the filter being defined by matching criteria to identify a network address and an action that is performed with respect to the network address.

29. (Original) The apparatus of claim 27, wherein the instructions define the level of access to the resource based on an address of a node on the network.

30. (Original) The apparatus of claim 27, wherein modifying the instructions comprises changing the address upon which the instructions base the level of access to the resource.

31. (Original) The apparatus of claim 30, wherein modifying the instructions comprises substituting a range of addresses for the address upon which the instructions base the level of access to the resource.

32. (Original) The apparatus of claim 31, wherein the processor executes code to install a negative filter within the range of addresses in order to block an address within the range from accessing the resource.

33. (Original) The apparatus of claim 27, wherein the instructions are installed in a device on the network, and the resource comprises bandwidth available from the device.

34. (Original) The apparatus of claim 33, wherein modifying the instructions comprises:

changing the amount of bandwidth available on the device to one or more network nodes.

35. (Original) The apparatus of claim 27, wherein the instructions define the level of access to the resource based on a priority level of data packets being transmitted through the network.

36. (Original) The apparatus of claim 27, wherein modifying the instructions comprises:

changing the amount of data packets having a particular priority level that can be transmitted through the network.



37. (Original) The apparatus of claim 35, wherein the priority level of the data packets is defined by instructions in headers of the data packets.

38. (Original) The apparatus of claim 28, wherein there are a limited number of filters that can be installed on the network and the filter is modified to increase a number of users with access through the filter.

39. (Currently Amended) The apparatus of claim 28, wherein the processor executes code to install a negative filter on the device in order to block data from ~~identify~~ an address that is transmitting data.

40. (Currently Amended) An apparatus for providing access to a resource on a network, comprising:

means for installing instructions on the network, the instructions defining a fixed level of access to the resource, the instructions comprising instructions to queue data packets having a predetermined priority for later transmission if an amount of data packets exceeds the level of the resource that is available; and

means for modifying the instructions to change the level of access to the resource.

---